

ACTUATORS

A buckling-sheet ring oscillator for electronics-free, multimodal locomotion

Won-Kyu Lee^{1†}, Daniel J. Preston^{1,2†}, Markus P. Nemitz^{1,2}, Amit Nagarkar¹, Arthur K. MacKeith¹, Benjamin Gorissen³, Nikolaos Vasios³, Vanessa Sanchez^{2,3}, Katia Bertoldi³, L. Mahadevan^{3,4,5}, George M. Whitesides^{1,2,5*}

Copyright © 2022
The Authors, some
rights reserved;
exclusive licensee
American Association
for the Advancement
of Science. No claim
to original U.S.
Government Works

Locomotion of soft robots typically relies on control of multiple inflatable actuators by electronic computers and hard valves. Soft pneumatic oscillators can reduce the demand on controllers by generating complex movements required for locomotion from a single, constant input pressure, but either have been constrained to low rates of flow of air or have required complex fabrication processes. Here, we describe a pneumatic oscillator fabricated from flexible, but inextensible, sheets that provides high rates of airflow for practical locomotion by combining three instabilities: out-of-plane buckling of the sheets, kinking of tubing attached to the sheets, and a system-level instability resulting from connection of an odd number of pneumatic inverters made from these sheets in a loop. This device, which we call a “buckling-sheet ring oscillator” (BRO), directly generates movement from its own interaction with its surroundings and consists only of readily available materials assembled in a simple process—specifically, stacking acetate sheets, nylon film, and double-sided tape, and attaching an elastomeric tube. A device incorporating a BRO is capable of both translational and rotational motion over varied terrain (even without a tether) and can climb upward against gravity and downward against the buoyant force encountered under water.

INTRODUCTION

Almost all locomotion in soft robotic systems functioning at useful scales relies on pneumatic or hydraulic actuators (1–7). The locomotion of soft robots using these fluidic actuators requires periodic pressurization and depressurization (i.e., oscillation) of multiple pressure sources (1, 3, 8), which is currently achieved primarily using hard solenoid valves controlled by electronic devices and circuits (6, 8, 9). Although achieving a reduced number of control elements is possible by leveraging fluidic resistance in soft robots (10, 11), advanced biomimetic locomotion—including climbing upward against gravity, downward, underwater, or against buoyant force—has still relied on multiple tethered inputs from pressure sources regulated and synchronized by complex control systems (9, 12–16). Hydraulically amplified electrostatic actuators and artificial muscles have enabled locomotion of soft robots over varied terrain; however, these systems require relatively high operating voltages that need to be carefully insulated in underwater environments (17–19).

To realize autonomous locomotion of soft robots without the need for electronic controls and hard valves (i.e., locomotors with a low level of autonomy), soft pneumatic and hydraulic oscillators have been created using microfluidic platforms (20–22) and elastomeric valves (2, 3); these oscillators convert a constant input pressure to a time-varying output pressure and have been integrated

in fully soft devices to generate motion (3, 22). Microfluidic control devices, however, are not suitable for mesoscale (i.e., length scales larger than a few centimeters) pneumatic robots and machines because low rates of airflow, due to drag in channels with small internal sizes, limit actuation speed (3, 22). Perhaps more importantly, microfluidic devices are fabricated via lithographic approaches (e.g., soft lithography) (23–25); integration with mesoscale fabrication tools [e.g., three-dimensional (3D) printing or layer-based assembly] complicates fabrication processes (23–25). For example, during fabrication of “octobot,” the microfluidic oscillator was fabricated separately and then integrated with the 3D-printed main body manually (22).

We have developed a soft, bistable valve for autonomous control of soft actuators (3), and we used this valve to form reconfigurable digital logic gates and circuits that enable relatively simple human-robot interaction and environmental sensing in soft robots (2). Furthermore, we demonstrated an elastomeric ring oscillator using an odd number of these valves—configured as inverters—connected in a loop (1), which enabled coordinated periodic motion of several external soft actuators using a single, constant-pressure input. This elastomeric ring oscillator must be connected to separate soft actuators to achieve locomotion (1–3) (this requirement does, however, increase system complexity in the design of soft robots). In addition, the fabrication of the elastomeric valves comprising the oscillator requires a multistep molding and manual assembly procedure (1–3)—complexities that may limit ease of fabrication and large-scale integration. With these limitations in mind, development of the simplest actuation system (in terms of structure and fabrication processes) to control pressures and flows of air large enough to operate mesoscale soft robots is important.

We recently demonstrated that leveraging a reversible buckling instability can allow thin circular sheets to crawl on land and swim on water upon application of oscillatory pressures generated by solenoid valves controlled by an electronic computer (26). Although

¹Department of Chemistry and Chemical Biology, Harvard University, 12 Oxford Street, Cambridge, MA 02138, USA. ²Wyss Institute for Biologically Inspired Engineering, 3 Blackfan Circle, Boston, MA 02115, USA. ³School of Engineering and Applied Sciences, Harvard University, 29 Oxford Street, Cambridge, MA 02138, USA. ⁴Department of Physics, Department of Organismic and Evolutionary Biology, Harvard University, 17 Oxford Street, Cambridge, MA 02138, USA. ⁵Kavli Institute for Bionano Science and Technology, Harvard University, 29 Oxford Street, Cambridge, MA 02138, USA.

*Corresponding author. Email: gwhitesides@gmwhitesides.harvard.edu

†These authors contributed equally to this work.

complex electro-pneumatic control devices are still necessary to control these simple buckling sheets, both the structure of the sheets and the fabrication processes are simple—the locomotor consists only of readily available materials assembled in a one-step process (i.e., stacking of acetate sheets, nylon film, and double-sided tape). In particular, although we only demonstrated the capability of these sheets as locomotors, they could also serve as a platform to create mechanofluidic transistors, in essence functioning as slender pneumatic valves. Pneumatic circuits, including multiple buckling sheets configured as logic elements, could ultimately realize electronics-free locomotion, thereby addressing the complexity and other issues observed in the previous bistable valves and associated pneumatic control approach.

In this work, we created a buckling-sheet ring oscillator (BRO) that converts a constant input pressure to temporally offset coordinated oscillation of the internal pressures of multiple buckling sheets, and thereby either induces locomotion directly from the undulating motions of the BRO itself as it interacts with its surroundings or controls actuators with its oscillating internal pressures to enable locomotion. The BRO is composed of buckling-sheet inverters (as single-level devices), each of which consists only of four simple components, including an acetate sheet (i.e., a cellulose acetate overhead transparency film), a thin nylon film, elastomeric tubing, and double-sided tape. We fabricated buckling-sheet inverters by assembling—via stacking and pressing—these commercially available materials. We then formed the BRO by connecting an odd number of the inverters to each other in a loop. Our robotic ring oscillator can move over plastic, cloth, and sand, and at an air-water interface, without any added actuators, via translational and rotational locomotion induced directly by the buckling of its component sheets. By supplementing the BRO with additional buckling-sheet actuators (BSAs) to amplify its ability to generate motion, we demonstrated motion up an incline against gravity using only a single, constant pressure input, which has been difficult for previously reported robotic systems to achieve (9, 12, 15). As a prototypic, practical use of the BRO, we show that it can descend into water against buoyancy to perform cleaning of underwater supports. Other applications may extend to collection of biological specimens, pipeline inspection, and management of undersea assets (27, 28).

RESULTS

Buckling sheet as a pneumatic inverter

We used a flexible plastic sheet with an attached pneumatic bladder as a platform to develop a pneumatic buckling-sheet inverter (Fig. 1). The buckling-sheet inverter takes advantage of the reversible buckling of thin sheets, which are flexible but not extensible. These buckling sheets remain in a flat, 2D configuration when unactuated, but generate out-of-plane topography when actuated (29, 30). They operate on the principle that stretching a sheet requires much more energy than bending it (29, 30); for example, pushing the center of a circular transparency sheet into a circular opening, for instance, the top of a drinking cup, generates 3D buckles along the radial direction (29, 30).

The buckling sheets used here each consist of a circular sheet of poly(cellulose acetate) and a circular pneumatic bladder, attached with double-sided tape (Fig. 1) in a process similar to that used in prior work to create a simple buckling sheet (26). Thin rubber tubing connects the bladder to an external pneumatic source. When

the bladder is pressurized, it expands in volume, stressing the entire transparent sheet. The sheet responds by bending out of plane and breaking its radial symmetry to form a puckered geometry that is polarized and has reflection symmetry (29). The polarization of the buckling instability that appears in the sheet is random on an ideal, pristine sheet; however, we can manually control the desired polarization of the buckling instability by locally folding—and (slightly) plastically deforming—the transparency sheet. After this initial “programming,” the sheet always buckles reversibly into the same shape, making it a reliable and mechanically programmable actuator.

To develop a pneumatic inverter from the buckling sheet, we attached a pneumatic flow-control tube on the surface of the sheet to guide the buckling (the blue tubing in Fig. 1A and fig. S1). The flow-control tube kinks when an input pressure (P_{IN}) to the bladder of the buckling sheet (which behaves as a pneumatic capacitor) is greater than the threshold of 10 kPa required for complete buckling (P_{BUCK}) of the sheet ($P_{IN} > P_{BUCK} = 10$ kPa, where 100 kPa = 1 atm). In this buckled state ($P_{IN} > P_{BUCK}$), the output pressure (P_{OUT}) from the kinked flow-control tube attached to the sheet is equal to zero (“off” state), regardless of the supply pressure at the inlet of the flow-control tube (P_{SUPP}). The output pressure (P_{OUT}) from the flow-control tube becomes equal to P_{SUPP} when the input pressure to the bladder of the buckling sheet is lower than the threshold for complete unfolding of 6 kPa ($P_{IN} < P_{UNFOLD} = 6$ kPa), where the buckling-sheet inverter unfolds (“on” state). This switching mechanism of the buckling-sheet inverter is analogous to that achieved by an electronic transistor, where the absence or presence of an input pressure (analogous to gate voltage) opens or closes a pathway for airflow (analogous to current) (31).

The importance of a “resistor” in the buckling-sheet inverter is also analogous to an electronic device: An electronic inverter is composed of both a transistor and a resistor. The electronic resistor, which connects the output of the electronic inverter to ground, prohibits an indeterminate “floating” output state when the electronic inverter input takes a value of zero; this resistor is often referred to as a “pulldown resistor” (32). The pneumatic version shown here uses the pneumatic transistor, described above, combined with a length of tubing with a thin (0.8 mm) inner diameter to provide resistance to airflow (Fig. 1B). The pneumatic pulldown resistor connecting P_{OUT} from the buckling-sheet inverter to pneumatic ground (atmospheric pressure, P_{ATM}) is critical; without it, the output state would always remain at the supply pressure, P_{SUPP} , after the first actuation.

Hysteretic switching behavior of the buckling-sheet inverter

We characterized the switching of the buckling-sheet inverter by measuring P_{OUT} as a function of a continuously varying input pressure P_{IN} (Fig. 1B). We found that the output P_{OUT} decreases to a low value when $P_{IN} > P_{BUCK}$, and the output P_{OUT} increases to a high value when $P_{IN} < P_{UNFOLD}$, independent of the constant (but different) values of P_{BUCK} and P_{UNFOLD} , and regardless of P_{SUPP} (fig. S2). This switching behavior with hysteresis is similar to that of the bistable valve shown in our prior work (1–3), where hysteresis from the bistable valve allows oscillation. Compared with the “binary” switching of the bistable valve, however, the sigmoid pattern of hysteresis from the buckling-sheet inverter exhibits “continuous” switching between the threshold values of P_{UNFOLD} and P_{BUCK} . Specifically, P_{OUT} will take every value between its high and low




Fig. 1. Pneumatic inverter and ring oscillator from BSA. Fabrication processes for BSAs (top schematics) and photos of a buckling-sheet inverter before and after actuation (middle) with corresponding schematics (bottom) and with the flow-control (blue) tubing attached (A). The system works as a pneumatic inverter by connecting a pulldown resistor (B); the system was characterized by recording output pressure (P_{OUT}) as a function of varying input pressure (P_{IN}) under a constant supply pressure (P_{SUPP}) of 19 kPa. Three buckling-sheet inverters were connected to each other in a loop to form a ring oscillator (C). The ring oscillator generated temporally coordinated undulating output pressures P_A (green), P_B (red), and P_C (blue) when a single, constant input pressure, P_{SUPP} , was applied (D).

states as the input pressure, P_{IN} , is increased from its low to high state. In this regime, the buckling-sheet inverter mirrors an inverting amplifier in an electronic circuit (32). Operation with the input constrained to either the high or low state (as in binary digital logic) reduces the operation of the buckling sheet to that of a simple inverter.

The hysteretic switching of the buckling-sheet inverter originates from the geometric hysteresis inherent in the viscoelastic substrate (i.e., the transparency sheet) during buckling and unfolding (fig. S3). We measured the bending angle (θ) of the flow-control tube at the center of the buckling position. During the buckling process, θ decreased almost linearly with input pressure, P_{IN} , from $\theta = 145^\circ$ to $\theta = 75^\circ$ as P_{IN} increased from 0 to 10.5 kPa (just over the pressure required to kink the attached tubing, $P_{BUCK} = 10$ kPa), at which point the flow-control tube completely kinks and prevents the flow of air. We observed a further decrease in θ as P_{IN} increased beyond P_{BUCK} , even after airflow through the tubing was completely blocked at $\theta = 75^\circ$, down to a minimum value of $\theta = 60^\circ$ under an applied input pressure, P_{IN} , of 14 kPa (fig. S3). As the buckling-sheet

inverter unfolds, θ increases from its minimum value to a value of 90° when $P_{IN} = P_{UNFOLD}$. The θ values during unfolding are always smaller than those during buckling with the same P_{IN} as a consequence of hysteresis (fig. S3). Using a finite element method model of our system, we further calculated cross-sectional areas of the kinking region of the flow-control tube during inverter pressurization and depressurization (fig. S4 and movies S1 and S2). The hysteresis in these cross-sectional areas as a function of P_{IN} was similar to that of the θ values. We attributed the hysteresis to the combined effect of the subcritical bifurcation associated with the kinking of the tubing and the damping of the viscoelastic substrate materials, i.e., the poly(cellulose acetate) sheet and the tubing.

We also characterized the buckling-sheet inverter by applying a varying input pressure, P_{IN} , with a time interval of 5-s on, 5-s off (with constant P_{SUPP}), during which time we measured P_{OUT} (fig. S5). Despite the delay in signal switching associated with the inflation of the bladder in the buckling-sheet inverter (resulting from pneumatic capacitance) and the resistance to airflow within the tubing, the output pressure P_{OUT} varied with an almost identical time interval

of 5 s. This regularity confirms the reliability of pneumatic mechanical switching based on buckling. P_{OUT} was slightly lower than P_{SUPP} because of the pressure drop associated with the pulldown resistor. The output pressure P_{OUT} must necessarily be lower than the supply pressure P_{SUPP} because of the pressure drop associated with the pulldown resistor, following the same physical principle as the electrical circuit analog. However, as long as P_{OUT} is greater than the pressure (P_{BUCK}) required to buckle the sheet, an unlimited number of buckling-sheet inverters may be connected in series. The output from a single buckling-sheet inverter may also be used to control an unlimited number of other buckling-sheet inverters, actuators, or other components; the response time in this case, however, would accordingly be slowed as the pneumatic capacitance increases when controlling more devices.

Compared with previously reported bistable valves (3), our transistor-type buckling-sheet inverter offers the advantage of continuous control of pressure, resulting in smoother motion of pneumatic soft robots. The switching behavior of the buckling-sheet inverter does not exhibit snap-through behavior between the two states, in contrast to the bistable valve, where a snap-through instability is used to generate quick motions of a bistable membrane inside the valve and gives rise to two discrete states (e.g., “0” and “1”) (1–3); rather, P_{OUT} transitions continuously from a high to low state as a function of increasing P_{IN} , which is similar to transistor-transistor logic gates. The advantage of this monotonic and continuous switching from the transistor-type buckling-sheet inverter is that we can access intermediate states between 0 and 1 not possible by truly “digital” control from the bistable valve, although we must apply a constant flow of pressurized air to the input of the bladder to maintain the pneumatic state as a consequence of the required pulldown resistor, thus decreasing the energy efficiency of the system. Because the locomotion of the buckling sheet (corresponding to repeated buckling and unfolding) arises from pressurization over only half of the cycle (i.e., buckling of the sheet) while allowing the system to recover passively over the other half of the cycle (i.e., unfolding of the sheet), the conversion of energy from pressurized air to locomotion is relatively efficient (26). Furthermore, the pressurized air exhausted from the bladders of the buckling-sheet inverters during repeated cycling can be repurposed for use in a multifunctional robotic system (as shown below in an aquatic environment), highlighting an important advantage of the mechanofluidic transistor framework compared with electronic approaches.

A BRO from multiple buckling-sheet inverters

We designed the BRO with three buckling-sheet inverters connected in a loop (Fig. 1C). Here, the output P_{OUT} of one inverter acts as the input P_{IN} of the next inverter such that the inverters take alternating buckled and unfolded states. To create the “ring,” the output from the last inverter in the series is connected to the input of the first inverter (fig. S6). When the supply pressure, P_{SUPP} , was first applied, an initial transient state lasting 2 s was observed during which all three inverters started to buckle before the generation of the instability. No stable state exists for this type of system (whether electronic, pneumatic, or mechanical), and a pneumatic instability travels along the ring as inverters sequentially buckle and unfold. The ring oscillator always contains either two adjacent unfolded inverters (with one inverter in the process of buckling) or two adjacent buckled inverters (with one inverter in the process of unfolding) (fig. S6). During the alternation between these two dynamic states

in the system, the instability travels along the ring. This propagating instability leads to periodic, temporally coordinated oscillation of the outputs [i.e., the output pressures for a three-inverter ring oscillator are $P_A(t)$, $P_B(t + \delta)$, and $P_C(t + 2\delta)$, where δ is one-third the period of oscillation].

When we applied a supply of compressed air at constant pressure, $P_{\text{SUPP}} = 19$ kPa, the device oscillated with a period of 1.1 s, calculated from the average peak-to-peak distance in the plot of pressure versus time at one of the three outputs (Fig. 1C). The maximum output pressure (~ 14.5 kPa) was smaller than the supply pressure, P_{SUPP} , indicating that the pulldown resistor induced a pressure drop during oscillation in the same manner as it does during the switching of a single inverter. The minimum output pressure (~ 4 kPa) was slightly below P_{UNFOLD} of 6 kPa, but not at P_{ATM} , because the bladder starts to inflate immediately after the buckling-sheet inverter is unfolded (when pressure inside the bladder is still near P_{UNFOLD} ; that is, the initial condition for Fig. 2A, state 1). We calculated the amplitude by subtracting the minimum pressure from the maximum pressure. Because of the pneumatic capacitance C (kg/kPa) from the internal air volume of the system, and the flow resistance R (kPa·s/kg) of the tubing, both inside and in between inverters, the pressure output of the inverters did not switch instantaneously, but instead gave rise to an oscillation with finite buckling and unfolding times.

Analytical model for BRO with controlled operational characteristics

We characterized the dependence of the period and the amplitude of the BRO on each of three adjustable system parameters: the supply pressure (P_{SUPP}), the pneumatic resistance from the pulldown resistor (R_{PULL}), and the interdevice pneumatic resistance (R_{TUBE} , associated with tubes connecting the buckling-sheet inverters). The two alternating states of the ring oscillator, i.e., buckling and unfolding of the connected buckling-sheet inverters, can be understood through an analogous electrical circuit (Fig. 2A), where each buckling or unfolding event can be modeled as a resistor-capacitor (RC) circuit with each capacitor-like bladder either charging or discharging, respectively. To derive expressions for the oscillation period and the amplitude as a function of P_{SUPP} , R_{PULL} , and R_{TUBE} , we modeled the airflow between two adjacent inverters in the same state of actuation. The buckling time (t_B) for one individual buckling-sheet inverter can be expressed as Eq. 1 (derivation in the Supplementary Materials and fig. S7)

$$t_B = R_{\text{EFF}} \times C_{\text{BSA}} \times \ln \left[\frac{(P_{\text{EFF}} - P_{\text{UNFOLD}})}{(P_{\text{BUCK}} - P_{\text{EFF}})} \right] \quad (1)$$

where C_{BSA} represents the intrinsic pneumatic capacitance from an individual BSA, defined as the rate of change of mass of fluid inside the BSA with respect to its internal pressure (1). C_{BSA} could be tuned by varying design parameters according to the scaling $C_{\text{BSA}} = f(d, EI)$, where d is the diameter of the pneumatic bladder and the product EI is the bending stiffness of the sheet itself, consisting of the elastic modulus of the sheet, E , and the area moment of inertia, I (which, in turn, is proportional to the cube of the thickness of the sheet, t^3); C_{BSA} increases with larger bladder diameters but decreases with stiffer sheets that resist deformation and expansion of the bladder.




Fig. 2. Response to variable supply pressure and pneumatic resistances from pulldown resistor and interdevice resistor. The ring oscillator always contains either two adjacent unfolded buckling-sheet inverters with one inverter buckling (A; state 1) or two adjacent buckled inverters with one inverter unfolding (A; state 2). These two alternating states of each buckling-sheet inverter can be modeled using analogous RC circuits to estimate the overall period of a cycle during oscillation (A). We performed experimental parametric sweeps in oscillation period and amplitude over multiple supply pressures (B), pneumatic resistances resulting from pulldown resistors (C), and interdevice pneumatic resistors resulting from additional tubing connecting buckling-sheet inverters (D). Predictions from the analytical RC circuit model are overlaid as solid curves (B to D); note that the slight discrepancy between model and experiment is reasonable for modeling of flows of gases in small-diameter tubes, which often deviate from predictions by over 10% (33). Error bars in (B) to (D) represent the SD of the oscillation period and amplitude (with corresponding supply pressure and pneumatic resistances) from 10 measurements.

The effective pressure of the system, $P_{EFF} = (P_{SUPP} R_{PULL} + P_{ATM} R_{BSA}) / (R_{PULL} + R_{BSA})$, captures the contributions of both the atmospheric and supply pressures, and the effective pneumatic resistance of the circuit, $R_{EFF} = (R_{TUBE} R_{BSA} + R_{PULL} R_{BSA} + R_{PULL} R_{TUBE}) /$

$(R_{PULL} + R_{BSA})$, accounts for contributions from the three relevant pneumatic resistances: (i) the pull-down resistor (R_{PULL}), (ii) the interdevice pneumatic resistance (R_{TUBE}), and (iii) the pneumatic resistance of the flow-control tubing on the BSA (R_{BSA}). The pneumatic resistances can be tuned by changing the length and inner diameter of tubing based on the fluid mechanics of an internal flow (Supplementary Materials). Similarly, the unfolding time (t_U) of a buckling-sheet inverter can be expressed as Eq. 2 (derivation in the Supplementary Materials and fig. S7)

$$t_U = R_{EFF}^* C_{BSA} \times \ln \left[\frac{(P_{EFF} - P_{ATM})}{(P_{UNFOLD} - P_{ATM})} \right] \quad (2)$$

where $R_{EFF}^* = R_{TUBE} + R_{PULL}$ is a simplified form of R_{EFF} corresponding to the unfolding RC circuit, in which R_{BSA} approaches infinity due to the kinking of the flow-control tube. The resulting equation for the total oscillation period (t_{PERIOD}) of a ring oscillator containing n buckling-sheet inverters is therefore given by Eq. 3, where t_B is the buckling time and t_U is the unfolding time

$$t_{PERIOD} = n \times (t_B + t_U) \quad (3)$$

In addition, we derived an analytical expression for the pressure amplitude (A) during oscillation as $A = P_{EFF} - P_{UNFOLD}$ (derivation in the Supplementary Materials).

As P_{SUPP} was increased from 10 kPa (P_{BUCK}) to 22 kPa, the oscillation period (t_{PERIOD}) increased from 0.5 to 0.8 s for the case where R_{TUBE} is negligible (Fig. 2B). This behavior is explained by Eq. 2 and eq. S5, where t_U grew logarithmically with P_{SUPP} , making P_{SUPP} the dominant factor to increase t_{PERIOD} . Conversely, when R_{TUBE} is large (comparable with R_{PULL}), the oscillation period, t_{PERIOD} , decreases as the supply pressure, P_{SUPP} , increases (when P_{SUPP} is small,

i.e., <13 kPa) (fig. S8); these contrasting regimes, captured here in our analytical model according to the analogous behavior in electrical systems (32), have not been observed or described in prior work on pneumatic devices. The oscillating pressure amplitude at each output

was increased from 3 to 15 kPa as P_{SUPP} increased for the case where R_{TUBE} is negligible. Considering that P_{UNFOLD} is the same regardless of P_{SUPP} , the amplitude A is linearly proportional to P_{SUPP} (as dictated by eq. S5 and eq. S12).

The pull-down resistors (with pneumatic resistance R_{PULL}) are also critical components in controlling the oscillation behavior (Fig. 2C). The pneumatic resistance can be represented by a length of tubing (L) with a known inner diameter. The total oscillation period t_{PERIOD} was linearly proportional to R_{PULL} because the rate of airflow through the pull-down resistor to the atmosphere decreases as L increases. This enhances the “effective” P_{SUPP} from the previous inverter to the next one and results in a larger t_{U} . As R_{PULL} increases above a threshold value of 0.75 m, the amplitude A starts to saturate. Equations S5 and S12 show that A will reach the value $P_{\text{SUPP}} - P_{\text{UNFOLD}}$ if the length of tubing is infinite. The slight discrepancies between model predictions and experimental results for R_{PULL} versus t_{PERIOD} and R_{PULL} versus A are reasonable for modeling of flows of gases in small-diameter tubes, which often deviate from predictions by over 10% (33). The error may also result from comparison of our analytical model from first principles with a nonideal real-world system. We found that we can achieve independent control over t_{PERIOD} with the same A by changing R_{TUBE} as another design factor for oscillation (Fig. 2D). Both the model and experimental data confirm that a BRO can access a wide range of periods of oscillation, from below 1 s to many seconds (theoretically from 0.1 s to an infinite period).

Electronics-free, intrinsic locomotion of a BRO

A BRO can achieve undulating locomotion because the constituent buckling-sheet inverters generate translational motion during folding and unfolding (Fig. 3). Each buckling-sheet inverter generates this locomotion by leveraging anisotropic friction designed into the system (4, 10, 13) due to asymmetric buckling. In more detail, if a single BSA contacts a flat surface for straightforward motion, only two points at the edges of the conical sheet meet the surface, while the rest of the structure is not in contact with the surface (26). Although these two pseudo-feet with different contact angles can lead to a fore-aft frictional asymmetry leading to motion, a single-level locomotor can easily lose its balance. In contrast, the BRO has six contact points (two for each BSA) and exhibits stable and conformal locomotion, even on undulating and uneven surfaces such as mounded sand, without adding mechanical elements (discussed in the next section). To achieve collective motion from the system on a flat surface, we arranged three buckling-sheet inverters in a triangular configuration, attached to each other with a thin flexible sheet to form a BRO. We selected three control elements because at least three pneumatic inverters are required to generate a pneumatic ring oscillator with system-level instabilities such that we could achieve electronics-free locomotion. Rather than adding other pneumatic circuit elements and increasing system complexity, we changed the relative arrangement of the three (i.e., the smallest unit number to form a ring oscillator) buckling-sheet inverters such that we could program the resulting BROs for target motions using a single, constant pressure input. One advantage of




Fig. 3. Robot locomotion from BROs. BROs as a locomotive system can achieve both (A) translational (at 43 m/hour) and (B) rotational (at 0.45 rpm) motion, simply by changing the orientations of the buckling points on constituent buckling-sheet inverters. The three inverters in these oscillators were arranged in a triangular configuration to achieve collective motion. By integrating two BROs in a single robotic system, hybrid locomotion consisting of steering (both turning right and left) and translation was achieved by selectively applying two pneumatic inputs (C).

this approach is that we can reuse the unit buckling-sheet inverter as a single, repeated circuit element, for different applications, without redesigning additional components.

When the positions of the buckling points are aligned parallel to each other, a single, constant pressure supply (P_{SUPP}) of 20 kPa generates translational locomotion (Fig. 3A). The calculated oscillation period and amplitude of internal pressure from the analytical models were 1.0 s and 13 kPa, respectively (with the design parameters of $L_{\text{PULL}} = 0.8$ m and $L_{\text{TUBE}} = 0.08$ m); meanwhile, the measured period from the video (movie S3) was about 1.1 s, in agreement with the model. On a smooth surface of plastic (styrene) as a terrain, the BRO traveled at an average velocity of 12 mm/s (~ 43 m/hour). This speed of translational motion (~ 0.03 body lengths per second) on a flat surface is faster than that of the locomotor system based on a single bistable valve under a supply pressure of 17 kPa [~ 0.01 body lengths per second, (3)] because of the higher rate of oscillation from the BRO. Considering the similar levels of input pressure used to operate these two robotic systems (i.e., the BRO and the locomotor based on a bistable valve), the ability of the BRO to convert compressed air at a given pressure to speed of movement is superior. Using the same design parameters, the BRO demonstrated rotational locomotion by changing the arrangement of the buckling positions of the three BSAs (Fig. 3B). Here, the buckling positions within the same triangular system were arranged such that they were rotationally offset from each other by 120° . With P_{SUPP} of 25 kPa, this configuration of a BRO achieved a rotational speed of about $2.7^\circ/\text{s}$ (~ 0.45 rpm) on the same terrain (movie S4). The estimated oscillation period and amplitude from the model were 1.2 s and 19 kPa, respectively.

By integrating two BROs together, we achieved both translational motion and steering (i.e., turning to the left and right), using a single robotic design, controlled by two pneumatic inputs (Fig. 3C and movie S5); this selective mode of locomotion from the twinned BRO with six buckling-sheet inverters is not possible with a single BRO consisting only of three inverters. The two BROs in a triangular configuration were assembled as two isosceles triangles, each forming an independent pneumatic oscillator, or ring. The two BROs were aligned such that their bases were parallel, with the apex of each BRO bisecting the base of the opposing BRO. All the buckling orientations were aligned parallel to each other. By applying pressure to both of the BROs simultaneously, the robot translates forwards, whereas it steers to the left or right by applying pressure to just one BRO (Fig. 3C). In this manner, we demonstrated hybrid locomotion in-plane with multiple translational and steering motions by selectively operating two independent rings in the robot (Fig. 3C). First, the robot turned right by applying pressure (25 kPa) to the first BRO (the ring with an inverted triangle colored with red) such that it steered rightward by $\sim 45^\circ$ in 32 s. By applying the same pressure input to the second BRO (the ring with a triangle colored with blue) simultaneously, the robot translated forward at a speed of 10 mm/s (~ 36 m/hour). The twinned BRO, however, is slightly slower than a single BRO, probably because the phase difference between the two constituent oscillators had a minor effect on the net motion. Turning the first BRO off (so that only the second BRO is pressurized) induced steering to the left by $\sim 45^\circ$ in 35 s. We then applied pressure to both of the BROs so that the robot moved forward in a straight line. The oscillation period of each ring was ~ 0.8 s from both the experiment and model. We designed and modeled the twinned BROs with L_{PULL} of 0.4 m and L_{TUBE} of 0.08 m.

Tethered and untethered locomotion across multiple terrains

A BRO can exhibit undulating and conformal locomotion across compliant surfaces with different rheologies, and also interfaces, including mounded sand (which we call “sand dunes”) and a water surface, without changing the original design (Fig. 4, A and B). Such multimodal robot movements were possible on multiple terrains beyond smooth terrestrial surfaces because the BRO is lightweight (<16 g), and the actuation dynamics of the BRO are temporally asymmetric ($t_U \neq t_B$) such that the system can generate a net positive impulse on the terrain. For locomotion over sand (a medium with high, nonlinear, apparent viscosity), we applied a supply pressure P_{SUPP} of 60 kPa (with the same design parameters for the BROs in Fig. 3A, i.e., $L_{\text{PULL}} = 0.8$ m and $L_{\text{TUBE}} = 0.08$ m), where the calculated oscillation period and amplitude are 1.7 s and 48 kPa, respectively. The experimentally observed period (~ 2 s) obtained from the video (movie S6) matches that of the model. The average speed of locomotion was about 0.7 mm/s (~ 2.5 m/hour) (Fig. 4A). The BRO moves forward along sand dunes with uneven surface topographies when each constituent buckling-sheet inverter unfolds. This conformal motion of the system-level locomotor is possible without support from mechanical components [which would require extra fabrication and assembly processes with increasing system complexity (3)] because, even if one of constituent BSAs loses its balance or contact with the terrain, the other devices in the system can still achieve forward motion not attainable by a single BSA.

On the water surface, however, a BRO (with the same design parameters of $L_{\text{PULL}} = 0.8$ m and $L_{\text{TUBE}} = 0.08$ m) can swim with a much lower supply pressure, P_{SUPP} , of 15 kPa. With the smaller period of 0.74 s and a lower amplitude of 9 kPa calculated from the model, the BRO moved with an average locomotion speed of about 7.2 mm/s (~ 25.7 m/hour), 10 times faster than on the sand (Fig. 4B). The period measured from the video was ~ 0.7 s, in agreement with the value from the model (movie S7). In contrast to the movement on sand, the constituent buckling-sheet inverters propel the system (i.e., the BRO) when they buckle, not when they unfold. Consequently, the locomotion direction during swimming was opposite to the direction on sand as the fold on each of the buckling-sheets is a “pusher” on sand and a “puller” in water. Furthermore, by integrating a BRO with an onboard pneumatic source, we demonstrated untethered robot locomotion (Fig. 4C and movie S8). The untethered BRO enables operation of a low-profile, lightweight soft robot without the need for added actuators or limbs, or for complicated control hardware (like solenoid valves). It achieved translational locomotion on a pool table with an average speed of 2 mm/s (~ 7 m/hour) (Fig. 4D). The oscillation period and amplitude predicted by the analytical model were 1.6 s and 33 kPa, respectively, in agreement with the measured oscillation period observed from the video (movie S8), which was 1.5 s. Considering that the total weight of the untethered source (28 g) is much heavier than the weight of the BRO itself (6 g)—that is, a load of over $4\times$ body weight—the BRO exhibits a notable ability to carry loads.

The beam-climbing robot from a BRO

By supplementing a BRO with additional BSAs to enhance motion, we created a beam-climbing robot that operates with only a single, constant-pressure input (Fig. 5 and figs. S9 and S10). The beam-climbing robot combines anisotropic friction, built into its feet, with undulations induced by the BRO to climb along an upwardly




Fig. 4. Tethered and untethered robot movements from BROs across multiple terrains. BROs can achieve robot locomotion on compliant media such as a sand dune (~ 2.5 m/hour) (A) and a water-air interface (~ 25.7 m/hour) (B). By integrating a BRO with an onboard pneumatic source (C), untethered locomotion on a pool table (i.e., on the surface of cloth) with an average speed of ~ 7 m/hour was achieved (D). The edges (edge width of 1 cm) of the buckling sheets were manually folded with a “turned-up” shape to prevent accumulation of sand in (A) and to balance the weight of the BRO with buoyancy in (B).

inclined beam (Fig. 5A and fig. S11). Each BSA in the BRO is fixed to a semi-soft (styrene) frame, and the tubing leading to the bladder of each buckling-sheet inverter is connected to two additional BSAs such that they oscillate in tandem with that inverter. The additional actuators connect two styrene frames such that the frames are pulled together when the actuators buckle and are pushed apart as they unfold. The styrene frames support the robot and grip the beam on two opposing sides with silicone rubber feet that contact the beam at a 45° angle. The angle of the feet creates anisotropy in friction in the direction of the beam, making it easier to push the frame in one direction than the other, so, rather than stationary undulation, the robot climbs along the beam as the BRO oscillates.

The beam-climbing robot translated along the beam even when the beam was oriented vertically. The speed of the out-of-plane locomotion was 3.1 mm/s (~ 11 m/hour), 2.2 mm/s (~ 8 m/hour), and 1.5 mm/s (~ 6 m/hour) when the beam was tilted at 0° (horizontal), 45° , and 90° (vertical), respectively (Fig. 5, B to D, and movies S9 to S11). To achieve the climbing motion, we supplied P_{SUPP} of ~ 50 kPa. Under the given conditions of pneumatic components, the period of oscillation of the climber was about three times larger than the BRO without additional actuators because of a threefold increase in pneumatic capacitance. Adding extra pneumatic capacitance in parallel to only one inverter of the BRO would cause the period of the oscillation to be larger, resulting in an irregular




Fig. 5. The beam-climber robot, using a BRO. The beam-climber robot was fabricated by supplementing a BRO with two additional BSAs and a pair of semi-soft feet per each buckling-sheet inverter (A). The robot achieved climbing motion with a speed of ~ 11 m/hour along a horizontal direction (B), ~ 8 m/hour with 45° tilting of the beam (C), and ~ 6 m/hour upward in the vertical direction (D). The beam climber can also dive underwater against its own buoyancy with the average speed of ~ 12 m/hour and perform underwater cleaning with airbrushes (powered by recovering and redirecting the flow of air that travels through the pulldown resistors during normal locomotion) attached to the robot (E).

temporal oscillation profile, and potentially opening applications in pneumatic timing circuits, or unique new modes of locomotion. The measured and calculated oscillation periods were both ~ 1.7 s. The beam climber can also traverse underwater with an average speed of 3.5 mm/s (~ 12 m/hour), even against its own buoyancy (it experiences a significant buoyant force because it is filled with air) (Fig. 5E and movie S12) with an input pressure of ~ 70 kPa and a corresponding period of ~ 1.7 s. Here, we approximated the buoyant force ($F_B = -\rho g V$) by measuring the volume of the bladder attached on the buckling-sheet inverter (~ 3 ml) when we applied P_{BUCK} . Because the beam climber consists of nine buckling-sheet inverters, the total volume of the air oscillating inside the robot system is about $V \sim 27$ ml, giving rise to $F_B = 0.3$ N, where the density of water, ρ , is ~ 1000 kg/m³. By increasing the level of P_{IN} to keep the difference between P_{ATM} and P_{IN} at ~ 70 kPa, deep-sea operation could be achieved.

The beam climber can clean algae and other biofouling contaminants from underwater beams or pilings. We demonstrated that the beam climber can dive underwater and remove artificial algae attached to the surface of a beam with soft airbrushes attached to the body of the robot (Fig. 5E). These airbrushes were powered by recovering and redirecting the exhaust air that already flows from the pulldown resistors during normal operation, driven by the pressure drop from the internal bladders on each buckling-sheet inverter to the aquatic environment (i.e., underwater) during oscillation. In this manner, the beam climber can clean underwater surfaces while simultaneously climbing downward along a beam, using only a single, constant supply of pressure as its input.

DISCUSSION

Locomotion of soft robots currently relies primarily on pneumatic actuators that must be inflated and

deflated in a coordinated manner (5). Soft pneumatic oscillators provide an alternative to electronic oscillators to achieve this behavior because they simultaneously provide the actuation forces to change the spatial morphology required for locomotion while also generating the temporal pattern to coordinate the motion, reducing the overall complexity of the control required to generate and coordinate the complex movements required for locomotion. Soft devices capable of such behavior shown in prior work have suffered from drawbacks, though: They either have been constrained to low rates of airflow (limiting speed) (22) or have required complex fabrication processes (limiting widespread adoption) (1–3). To overcome these issues and enable simple control of the locomotion of soft robots, we developed the BRO, fabricated from flexible, but inextensible, sheets. The BRO relies on three instabilities: the out-of-plane buckling of the sheets (29, 30) building on our prior work on this mode of locomotion (26), the subsequent kinking of pneumatic tubing attached to the sheets (34), and the system-level instability of three buckling-sheet pneumatic inverters (each of which is composed of a buckling sheet and kinking tube) connected in a loop.

The BRO is able to generate motion directly from its own interaction with its surroundings, and thereby offers intrinsic scalability—the speed of locomotion can be increased or decreased based on the design of the BRO because the speed is directly proportional to the size of the BRO. Recently, we have developed a scaling law to show that the speed of a BSA is linearly proportional to the diameter of the sheet (26). This relationship means that, if we increase the diameter to 2 m, theoretically, the resulting speed of a single BRO could be ~19 m/min (and ~16 m/min for a twinned BRO). With this scalability in mind, large untethered BROs at the size scale of humans can, in principle, be deployed to transport people and goods in factories or warehouses. In addition, the speed is also proportional to the frequency of the actuation; considering that the oscillation period (or frequency) of the BRO is widely tunable by changing pneumatic components, with system optimization of the scalable BRO, we believe we can further increase the speed fast enough to support real-world applications (35, 36). The ability of the BRO to traverse a variety of terrains also promises use in application spaces ranging from undersea robotics (as indicated by the BRO's ability to clean algae from underwater beams) to exploration of dusty environments such as deserts, where the BRO can use its ability to traverse granular media.

The buckling-sheet inverter and the BRO can also be used to control other types of actuators within integrated robot systems. As we demonstrated in Fig. 5, the BRO can control separate actuators—in this case, additional BSAs combined with styrene frames—to realize beam climbing motions with the entire robotic system. On the basis of these experimental results, we believe that the buckling-sheet inverter and BRO will be able to control many different types of soft pneumatic actuators with an operational pressure range between 0 and 80 kPa (80 kPa is the upper pressure limit that the buckling-sheet inverter can control without system failure). In particular, the BRO as a pneumatic controller may be critical for use in robotic systems that require fast actuation; the BRO can control multiple oscillatory pressure outputs with oscillation periods as small as 0.1 s (i.e., 10 Hz). Considering the volume of the air and the pressure range (large enough to actuate mesoscale pneumatic actuators) controlled by the BRO, the speed of the oscillation is remarkable and is much faster than the pneumatic ring oscillator based on bistable valves shown in prior work, which could only reach a minimum oscillation period of greater than 5 s (i.e., 0.2 Hz) (1).

Using only low-cost, commercially available materials assembled in a simple stacking process, the BRO converts a constant input pressure to coordinated, oscillating output pressures at flow rates appropriate for actuation of soft robots. The BRO is capable of both linear translational and rotational motion over varied terrain, even without a tether, and can climb upward against the force of its own weight—or downward against buoyant force when underwater—with the capability for underwater cleaning of surfaces, as demonstrated in this work. This simple platform represents a step toward the mass production and deployment of untethered soft robots capable of complex locomotion, but without the requirement for complicated control systems, in homes, workplaces, and potentially even dangerous environments like the deep sea.

MATERIALS AND METHODS

Research objectives and design

This study was designed to demonstrate an approach to enable both tethered and untethered locomotion across varied terrains driven by the oscillatory internal pressure of the BRO and to highlight that this robotic oscillator can autonomously generate complex locomotion and behaviors using only one input held at a constant pressure. We also characterized the BRO experimentally, with parametric sweeps performed over the relevant pneumatic system (supply pressure and pneumatic resistances) for validation of the analytical model developed in this work. We fabricated all of the components of the soft robotic systems using commercially available materials without relying on complex fabrication processes, and thus reduced barriers to reproduction and widespread adoption of this type of design.

Fabrication of BSA, pneumatic inverter, and BRO

Each BSA was fabricated from a circular sheet of polycellulose acetate (an overhead transparency sheet). We attached a thin circular nylon film with a diameter of 4 cm to the center of the sheet using double-sided tape manually cut with a ring-shape (inner and outer diameters of the ring were 2 and 4 cm, respectively) to form a bladder (diameter of 2 cm when flat). Thin polydimethylsiloxane tubing connects the bladder to a pneumatic source, and the connection was sealed with a hot-melt adhesive [Surebonder Glue Sticks, poly(amidoamine)] using a glue gun. The transparency sheet and the bladder are both flexible but inextensible. Upon the first actuation, the initial buckling instability created in the sheet occurs at a random position along the radial direction. This buckle can be directed by hand to the desired position. To fabricate a pneumatic inverter from the buckling sheet, we attached a pneumatic flow-control tube on the surface of buckling sheet across the buckling position. Details specific to the fabrication of the BSA and pneumatic inverter are presented in the Supplementary Materials. Last, each BRO was assembled from three buckling-sheet inverters by connecting the output of each inverter to the input of the next inverter in a loop, or ring.

Preparation of untethered BRO

We prepared the untethered BRO using an onboard pneumatic pressure supply controlled and powered by a microcontroller (Microchip, ATMEGA168PA), two MOSFETs (ON Semiconductor NTZD3154NT; “ON Semiconductor” is the brand name of MOSFET), a WiFi-enabled communication chip (XBee, PRO S1), a voltage regulator (Microchip, MIC5219), and a 7-V rechargeable lithium-ion battery (Turnigy, 7.4 V, 300 mAh). This circuit controls two micropumps

that are connected in series (to increase total pressure) and was custom-made to minimize the weight and size of the robot. The control circuitry can be wirelessly controlled via IEEE 802.11 connectivity (WiFi). We used this setup to control the pneumatic pump of the robot wirelessly for on/off switching (schematic included in fig. S12).

Fabrication of beam-climber robot

We fabricated semi-soft styrene frames by laser cutting (Universal Laser Systems Inc., VLS 6.60 with a 60-watt CO₂ laser) styrene sheets with a thickness of 0.1 mm (Hygloss Products Inc., overhead projector transparency sheets made from cellulose diacetate) and attaching silicone rubber feet using super glue (Elmer's Products Inc., Krazy Glue) to generate anisotropic friction along the transparent plastic beam. We then attached the edges of each BSA in the BRO to the frame using doubled-sided tape (3M 9589 double-sided tape) and connected the additional BSAs between two styrene frames. Details specific to the materials and the fabrication of the beam-climber robot with multiple BSAs are presented in the Supplementary Materials.

Characterization of a pneumatic inverter based on BSA

We characterized the output pressure of a single buckling-sheet inverter as a function of the input pressure. We varied input pressure with a voltage-controlled electropneumatic regulator (SMC Pneumatics, ITV 0010-2BL) interfaced to a computer, where we characterized and recorded input, output, and supply pressures with electronic pressure sensors (Panasonic, ADP5151) connected to a data acquisition device (NI USB-6218 BNC). The supply pressure was set using a manual pressure regulator (Watts 03904). The input pressure was increased linearly from 0 to 15 kPa over 60 s and then decreased linearly back to 0 kPa over 60 s using the electropneumatic regulator.

Characterization of the BRO

During operation of the ring oscillator, three electronic pressure sensors (Panasonic, ADP5151) were attached to the connections between each of the inverters to measure the output pressures P_A , P_B , and P_C corresponding to each inverter in the BRO. The supply pressure, P_{SUPP} , was regulated by a manual pressure regulator (Watts, 03904) and was recorded with a fourth electronic pressure sensor of the same type (Panasonic, ADP5151). The amplitude and period of oscillation were determined by postprocessing the data.

SUPPLEMENTARY MATERIALS

www.science.org/doi/10.1126/scirobotics.abg5812

Materials and Methods

Supplementary Text

Figs. S1 to S13

Tables S1 and S2

Movies S1 to S12

References (37–40)

REFERENCES AND NOTES

- D. J. Preston, H. J. Jiang, V. Sanchez, P. Rothemund, J. Rawson, M. P. Nemitz, W.-K. Lee, Z. Suo, C. J. Walsh, G. M. Whitesides, A soft ring oscillator. *Sci. Robot.* **4**, eaaw5496 (2019).
- D. J. Preston, P. Rothemund, H. J. Jiang, M. P. Nemitz, J. Rawson, Z. Suo, G. M. Whitesides, Digital logic for soft devices. *Proc. Natl. Acad. Sci. U.S.A.* **116**, 7750–7759 (2019).
- P. Rothemund, A. Ainla, L. Belding, D. J. Preston, S. Kurihara, Z. Suo, G. M. Whitesides, A soft, bistable valve for autonomous control of soft actuators. *Sci. Robot.* **3**, 7986 (2018).
- D. Rus, M. T. Tolley, Design, fabrication and control of soft robots. *Nature* **521**, 467–475 (2015).
- G. M. Whitesides, Soft robotics. *Proc. Natl. Acad. Sci. U.S.A.* **57**, 4258–4273 (2018).
- M. T. Tolley, R. F. Shepherd, B. Mosadegh, K. C. Galloway, M. Wehner, M. Karpelson, R. J. Wood, G. M. Whitesides, A resilient, untethered soft robot. *Soft Robot.* **1**, 213–223 (2014).
- B. Mosadegh, A. D. Mazzeo, R. F. Shepherd, S. A. Morin, U. Gupta, I. Z. Sani, D. Lai, S. Takayama, G. M. Whitesides, Control of soft machines using actuators operated by a braille display. *Lab Chip* **14**, 189–199 (2014).
- R. F. Shepherd, F. Ilievski, W. Choi, S. A. Morin, A. A. Stokes, A. D. Mazzeo, X. Chen, M. Wang, G. M. Whitesides, Multigait soft robot. *Proc. Natl. Acad. Sci. U.S.A.* **108**, 20400–20403 (2011).
- M. S. Verma, A. Ainla, D. Yang, D. Harburg, G. M. Whitesides, A soft tube-climbing robot. *Soft Robot.* **5**, 133–137 (2017).
- Y. Matia, T. Elimelech, A. D. Gat, Leveraging internal viscous flow to extend the capabilities of beam-shaped soft robotic actuators. *Soft Robot.* **4**, 126–134 (2017).
- C. C. Futran, S. Ceron, B. C. MacMurray, R. F. Shepherd, K. H. Petersen, Leveraging fluid resistance in soft robots, in *2018 IEEE International Conference on Soft Robotics (RoboSoft)* (IEEE, 2018), pp. 473–478.
- G. Gu, J. Zou, R. Zhao, X. Zhao, X. Zhu, Soft wall-climbing robots. *Sci. Robot.* **3**, eaat2874 (2018).
- F. Berlinger, M. Duduta, H. Gloria, D. Clarke, R. Nagpal, R. Wood, A modular dielectric elastomer actuator to drive miniature autonomous underwater vehicles, in *2018 IEEE International Conference on Robotics and Automation (ICRA)* (IEEE, 2018), pp. 3429–3435.
- R. K. Katzschmann, J. DelPreto, R. MacCurdy, D. Rus, Exploration of underwater life with an acoustically controlled soft robotic fish. *Sci. Robot.* **3**, eaar3449 (2018).
- S. D. de Rivaz, B. Goldberg, N. Doshi, K. Jayaram, J. Zhou, R. J. Wood, Inverted and vertical climbing of a quadrupedal microrobot using electroadhesion. *Sci. Robot.* **3**, eaau3038 (2018).
- Y. Chen, N. Doshi, B. Goldberg, H. Wang, R. J. Wood, Controllable water surface to underwater transition through electrowetting in a hybrid terrestrial-aquatic microrobot. *Nat. Commun.* **9**, 2495 (2018).
- E. Acome, S. K. Mitchell, T. G. Morrissey, M. B. Emmett, C. Benjamin, M. King, M. Radakovitz, C. Keplinger, Hydraulically amplified self-healing electrostatic actuators with muscle-like performance. *Science* **359**, 61–65 (2018).
- N. Kellaris, V. Gopaluni Venkata, G. M. Smith, S. K. Mitchell, C. Keplinger, Peano-hassel actuators: Muscle-mimetic, electrohydraulic transducers that linearly contract on activation. *Sci. Robot.* **3**, eaar3276 (2018).
- S. K. Mitchell, X. Wang, E. Acome, T. Martin, K. Ly, N. Kellaris, V. G. Venkata, C. Keplinger, An easy-to-implement toolkit to create versatile and high-performance HASEL actuators for untethered soft robots. *Adv. Sci.* **6**, 1900178 (2019).
- P. N. Duncan, S. Ahrar, E. E. Hui, Scaling of pneumatic digital logic circuits. *Lab Chip* **15**, 1360–1365 (2015).
- P. N. Duncan, T. V. Nguyen, E. E. Hui, Pneumatic oscillator circuits for timing and control of integrated microfluidics. *Proc. Natl. Acad. Sci. U.S.A.* **110**, 18104–18109 (2013).
- M. Wehner, R. L. Truby, D. J. Fitzgerald, B. Mosadegh, G. M. Whitesides, J. A. Lewis, R. J. Wood, An integrated design and fabrication strategy for entirely soft, autonomous robots. *Nature* **536**, 451–455 (2016).
- M. A. Unger, H.-P. Chou, T. Thorsen, A. Scherer, S. R. Quake, Monolithic microfabricated valves and pumps by multilayer soft lithography. *Science* **288**, 113–116 (2000).
- T. Thorsen, S. J. Maerkl, S. R. Quake, Microfluidic large-scale integration. *Science* **298**, 580–584 (2002).
- A. Groisman, M. Enzelberger, S. R. Quake, Microfluidic memory and control devices. *Science* **300**, 955–958 (2003).
- A. Nagarkar, W. K. Lee, D. J. Preston, M. P. Nemitz, N. N. Deng, G. M. Whitesides, L. Mahadevan, Elastic-instability-enabled locomotion. *Proc. Natl. Acad. Sci. U.S.A.* **118**, e2013801118 (2021).
- Z. E. Teoh, B. T. Phillips, K. P. Becker, G. Whittredge, J. C. Weaver, C. Hoberman, D. F. Gruber, R. J. Wood, Rotary-actuated folding polyhedrons for midwater investigation of delicate marine organisms. *Sci. Robot.* **3**, eaat5276 (2018).
- Y. Wang, X. Yang, Y. Chen, D. K. Wainwright, C. P. Kenaley, Z. Gong, Z. Liu, H. Liu, J. Guan, T. Wang, J. C. Weaver, R. J. Wood, L. Wen, A biorobotic adhesive disc for underwater hitchhiking inspired by the remora suckerfish. *Sci. Robot.* **2**, eaan8072 (2017).
- E. Cerda, S. Chaieb, F. Melo, L. Mahadevan, Conical dislocations in crumpling. *Nature* **401**, 46–49 (1999).
- E. Cerda, L. Mahadevan, Conical surfaces and crescent singularities in crumpled sheets. *Phys. Rev. Lett.* **80**, 2358–2361 (1998).
- R. P. Feynman, R. B. Leighton, M. Sands, The Feynman lectures on physics; vol. I. *Am. J. Phys.* **33**, 750–752 (1965).
- P. Horowitz, W. Hill, *The Art of Electronics* (Cambridge Univ. Press, ed. 2, 1989), p. 1125.
- T. A. Ganat, M. Hrairi, Gas–liquid two-phase upward flow through a vertical pipe: Influence of pressure drop on the measurement of fluid flow rate. *Energies* **11**, 2937 (2018).
- K. Luo, P. Rothemund, G. M. Whitesides, Z. Suo, Soft kink valves. *J. Mech. Phys. Solids* **131**, 230–239 (2019).

35. D. Drotman, S. Jadhav, D. Sharp, C. Chan, M. T. Tolley, Electronics-free pneumatic circuits for controlling soft-legged robots. *Sci. Robot.* **6**, eaay2627 (2021).
36. A. Rajappan, B. Jumei, D. J. Preston, Pneumatic soft robots take a step toward autonomy. *Sci. Robot.* **6**, eabg6994 (2021).
37. C. T. Crowe, *Engineering Fluid Mechanics* (John Wiley & Sons, ed. 9, 2009).
38. J. M. Cimbala, Y. A. Cengel, *Essentials of Fluid Mechanics: Fundamentals and Applications* (McGraw-Hill, 2008), p. 324.
39. R. W. Ogden, *Non-Linear Elastic Deformations* (Dover Publications Inc., 1997).
40. J. N. Reddy, *An Introduction to the Finite Element Method* (McGraw-Hill series in mechanical engineering, McGraw-Hill Higher Education, ed. 3, 2006), p. xvi, 766 pp.

Funding: This research was funded by the Department of Energy award #DE-SC0000989 through a subcontract from Northwestern University. L.M. and K.B. acknowledge salary support from NSF award DMR-1922321. A.K.M. acknowledges the Harvard REU program

funded by NSF award DMR1420570. **Author contributions:** W.-K.L., D.J.P., L.M., and G.M.W. conceived the work; W.-K.L., A.K.M., and V.S. fabricated the devices; W.-K.L., D.J.P., M.P.N., A.N., and A.K.M. contributed to experimental setup and collection and interpretation of data; W.-K.L., D.J.P., and L.M. developed the analytical model; B.G. and N.V. developed the numerical model; W.-K.L., D.J.P., L.M., and G.M.W. wrote and revised the manuscript; K.B., L.M., and G.M.W. oversaw the work. **Competing interests:** G.M.W. acknowledges an equity interest and board position in Soft Robotics Inc. None of the work described in this article was connected to any present interest of Soft Robotics Inc. **Data and materials availability:** All data needed to evaluate the conclusions in the article are present in the main text or the Supplementary Materials.

Submitted 14 January 2021

Accepted 18 January 2022

Published 9 February 2022

10.1126/scirobotics.abg5812

A buckling-sheet ring oscillator for electronics-free, multimodal locomotion

Won-Kyu Lee, Daniel J. Preston, Markus P. Nemitz, Amit Nagarkar, Arthur K. MacKeith, Benjamin Gorissen, Nikolaos Vasios, Vanessa Sanchez, Katia Bertoldi, L. Mahadevan, and George M. Whitesides

Sci. Robot. 7 (63), eabg5812. DOI: 10.1126/scirobotics.abg5812

View the article online

<https://www.science.org/doi/10.1126/scirobotics.abg5812>

Permissions

<https://www.science.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of service](#)

Science Robotics (ISSN 2470-9476) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science Robotics* is a registered trademark of AAAS.

Copyright © 2022 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works